


B-206-F1

(use with B-206-3 or B-206-4)


Revision Dates (Preliminary Stage Only)			
3/99	5/00	5/01	4/02
11/99	5/00	3/07	7/10
			10/13

Design		Detail		Quantities	
Designed By	Checked By	INITIAL	DATE	INITIAL	DATE
XXX	XXX	XXX	MM/YY	XXX	MM/YY
Checked By	Checked By	Quantity By	Quantity By	Quantity By	Quantity By
XXX	XXX	XXX	MM/YY	XXX	MM/YY


Designer/Detailer  
 Discharge into erosion protection (such as riprap or energy dissipators) as needed. Extend and support non-perforated pipe such that a minimum 6" clearance remains below flowline.




SECTION PERPENDICULAR TO ABUTMENT



SECTION A



SECTION B



6 INCH PERFORATED PIPE UNDERDRAIN

6 Inch Perforated Pipe Underdrain includes all Filter Material (Class B) and Geotextile (Drainage) (Class 1) surrounding the Filter Material (Class B)

**NOTES:**

The maximum lift thickness for Structure Backfill (Flow-Fill) shall be 3 feet. Additional layers shall not be placed until the Structure Backfill (Flow-Fill) has lost sufficient moisture to be walked on without indenting more than 2 inches.

Payment will be made under Item 206 Structure Backfill (Flow-Fill) and shall include the cost for polystyrene or cardboard void, Geocomposite Drain, 6 Inch Perforated Pipe Underdrain, and Subsurface Drain Outlet (6" nonperforated pipe).

Installation of Pipe Underdrain, Subsurface Drain Outlet, and Geocomposite Drain will conform to the Construction requirements of Section 605.03, 605.06 and 605.04, respectively.

Print Date: \$DATE\$
File Name: Sheet_B-206-F1.dgn
Horiz. Scale: NTS      Vert. Scale: As Noted
Staff Bridge Branch - Unit 022X    Unit Leader Initials

Sheet Revisions		
Date:	Comments	Init.

Colorado Department of Transportation  
 4201 East Arkansas Avenue  
 Room 107  
 Denver, CO 80222  
 Phone: 303-757-9309 FAX: 303-757-9197

**Staff Bridge Branch**      **Initials**

<b>As Constructed</b>
No Revisions:
Revised:
Void:

STRUCTURE BACKFILL (FLOW-FILL)			
Designer:	XXXXXXXX	Structure Numbers	X-XX-XX
Detailer:	XXXXXXXX	Structure Numbers	X-XX-XX
Sheet Subset:	BRIDGE	Subset Sheets:	BXX of XXX

<b>Project No./Code</b>
Project Number
Code
Sheet Number

\$PLOT\_INFO\$